PARTOGRAM

Date:

MATERNAL STATUS	Time							
	BP ▼ ▲	200						
		190						
		180						
		170						
	Pulse •	160						
		150						
		140						
	FHR ×	130						
		120						
		110						
	Twin A ×	100						
	Twin B ○	90						
		80						
		70						
		60						
		50						
		40						
	Temp/Resp/SpO2		/ /	/ /	/ /	/ /	/ /	/ /
	Epidural Rate (mLs per hr)							
	Dermatome level							
	Coping scale (0-10)							
	Activity/Position		/	/	/	/	/	/
	CONTRACTIONS: Frequency (# in 10 min)							
	Duration (seconds)							
	Quality (palpate/IUPC)							
	Uterine resting tone							
FETAL SURVEILLANCE	Mode							
	Rhythm/Variability							
	Accelerations							
	Decelerations							
	Classification							
LABOUR ASSESSMENT	Station x / Dilatation •	-5 / 10						
		-4 / 9						
		-3 / 8						
		-2 / 7						
		-1 / 6						
		0 / 5						
		+1 / 4						
		+2 / 3						
		+3 / 2						
		+4 / 1						
		+5 / 0						
INFUSION	Syntocinon (milliunits per min)							
	Magnesium Sulfate (gms per hr)							
	IV of _____ at _____ mLs per hr							
	IV of _____ at _____ mLs per hr							
	Blood glucose / D10 / Insulin							
INTAKE AND OUTPUT	IV hourly/total (mLs)		/	/	/	/	/	/
	Oral (mLs)							
	Urine hourly/total (mLs)		/	/	/	/	/	/
	Emesis (mLs)							
	Input Total/Output Total (mLs)		/	/	/	/	/	/
	ID							

DO NOT COPY

3sHealth, NISS Copyright. Not to be reproduced in any manner.



MATERNAL STATUS

ACTIVITY/POSITION

Sit – Sitting	AMB - Ambulating
Std – Standing	BB – Birthing ball
RL – Right lateral	HK – Hands & knees
LL – Left lateral	KC – Knee-chest
SU – Supine	Sq - Squatting
LI - Lithotomy	TR - Trendelenberg
SF – Semi-Fowler's	

Remarks:

Dr.

Called for delivery at:

ID

Arrived for delivery at:

CONTRACTIONS

Quality		Uterine Resting Tone	
T	Tightening	S	Soft
Mi	Mild	F	Firm
Mod	Moderate		
S	Strong		

10 -5
9 -4
8 -3
7 -2
6 -1
5 0
4 +1
3 +2
2 +3
1 +4
0 +5

FETAL SURVEILLANCE KEY

Mode		Accelerations	
IA	Intermittent Auscultation	P	Present
EFM	Electronic Fetal Monitor	A	Absent
Rhythm/Variability		**Decelerations**	
R	Regular	G	Gradual
Irr	Irregular	Abr	Abrupt
Ab	Absent (0-2 bpm)	E	Early
M	Minimal (2-5 bpm)	L	Late
Mod	Moderate (5-25 bpm)	V	Variable
Mkd	Marked (more than 25 bpm)		

Classification

N	Normal	At	Atypical	An	Abnormal

COPING SCALE

Coping Well (10-6):
Using tools and techniques ; Changing positions ; Accepting assistance ; Requesting specific strategies

Coping (5 to 4):
Questions ability to cope, but still trying ; Listens and tries suggestions ; Takes encouragement from others ; Willing to accept H.E.L.P.

Not Coping Well (3 to 0):
Screaming ; Unwilling to accept H.E.L.P. ; Unable to take direction

DO NOT COPY

3sHealth, NISS Copyright. Not to be reproduced in any manner

Date	Time	Notes

DO NOT COPY

3sHealth, NISS Copyright. Not to be reproduced in any manner

Date	Time	Notes

DO NOT COPY

3sHealth, NISS Copyright. Not to be reproduced in any manner